# WILDLIFE TRAVEL





#	DATE	LOCATIONS				
1	28 <sup>th</sup> Oct	arrival, The Old Rectory, Crostwick				
2	29 <sup>th</sup> Oct	e Broads: Horsey Gap, Hickling Broad, Stubb Mill				
3	30 <sup>th</sup> Oct	Ouse Washes: Welches Dam and Welney				
4	31st Oct	Mid-Yare Valley: Strumpshaw Fen and Buckenham Marshes				
5	1 <sup>st</sup> Nov	North Norfolk: Salthouse, Cley, Holkham				
6	2 <sup>nd</sup> Nov	depart				

#### **LIST OF TRAVELLERS**

#### Leaders

Jono Leadley Philip Precey



Grey Seals at Horsey Gap... suitable captions welcome!

Cover: sunset at Welney, and Otter at Strumpshaw Fen

A gallery of Philip's photos from the trip can be found at http://www.flickr.com/photos/wildlifetravel/sets/72157631906147566/

#### Norfolk species lists and trip report, 28th October to 2nd November 2012

**29<sup>th</sup> October 2012 The Broads**. After our first night in the Old Rectory, we headed off eastwards from Crostwick, into the Broads. Our first stop was at the beach car park at Horsey Gap, from where we climbed to the top of the dunes to have a look out to sea. A large raft of Common Scoter showed well offshore, mostly the pale-cheeked females, with just a handful of the lovely sooty black males. A couple of Redthroated Divers drifted past, a Guillemot dived just off shore and some distant Gannets flashed white out towards the horizon.

Back down on the landward side of the dunes, we walked south about a mile, before climbing the dunes again to look down onto the beach, where about 65 Grey Seals were clustered together, beside 6 of the much smaller Common Seals. Tucked in to one of the rocky breakwaters was a single new Grey Seal pup, whose mother returned to give him a feed while we watched. A Woodcock flying in off the sea was a nice surprise.

From here we struck inland, to the open fire and hot tea at the Nelson's Head pub, where we had our lunch and were entertained by a couple of late Swallows and a female Black Redstart on the wires.

A brief stop at Hickling Broad coincided with the arrival of the rain, and an almost total lack of birds! So on we went, to the view point at Stubb Mill. The raptor roost took a while to get going, but we did eventually enjoy the arrival of around 35 Marsh Harriers, as well as a close fly past by a female Hen Harrier and a family of four Common Cranes feeding quietly on the grazing marsh in front of us.

**30<sup>th</sup> October 2012. Ouse Washes.** Further afield today, and in the opposite direction: we headed west, crossing the northern edge of the Brecks, passing through 'High Norfolk' and into the black soils of the Fens.

We spent the morning at the RSPB/Wildlife Trust reserve at Welches Dam. Much of the Washes was flooded, with good numbers of Coot, Tufted Duck and smaller numbers of Wigeon, Gadwall and Shoveler to be seen. A flock of Lapwings resting on one island were joined by 3 Ruff and a couple of Snipe. A Kingfisher put in a brief appearance, and in the distance a first winter Little Gull flicked and dipped over the water. Leaving the reserve, we were very lucky to bump into a single Waxwing in roadside rowans, which posed up in the top of a tree for us all to admire through the scopes.

The Wildfowl and Wetland Trust's reserve at Welney isn't quite so 'low key' as Welches Dam, and we took full advantage of the facilities here, notably the café, before heading over the bridge to watch the evening feed. A small number of Whooper and Mute Swans joined the large numbers of Mallard and Pochard in taking advantage of the free grain on offer. Less impressed by the grain were the Black-tailed Godwits, Ruff and single Grey Plover roosting and feeding amongst the Lapwings. A Short-eared Owl came over, being chased by a pack of Lapwings, and as the sun set to our left, several hundred Whooper Swans came in to roost from their day spent feeding out in the sugar beet fields.

Alas, our bus chose now to break down, but we were well looked after by the coach company, and were only an hour late in getting back 'home' for dinner.

**31**st **October 2012. Mid Yare Valley.** Today we headed south (well, south east to be precise), to the Mid Yare Valley, and Jono's former stomping ground. We started our day at Strumpshaw Fen, with Marsh Tit and Nuthatch on the bird feeders by the toilet block, and some very well fed Brown Rats.

Initially, not a lot seemed to be going on at the main pool, so we moved around to Fen Hide, hoping to bump into the Waxwings that had been reported near there that morning: no luck, unfortunately. With a volunteer work party cutting and burning the reeds in front of Fen Hide, there didn't seem a lot of point hanging around here, so most of us carried on round to Tower Hide, where they enjoyed good numbers of ducks, a Little Egret and a nicely posing Kingfisher.

The rest of us went back to the Reception Hide, to stake out the main pool... and we were in luck, first with a Chinese Water Deer who was quietly grazing right in front of the hide. Then with a Bittern that flew

#### Norfolk species lists and trip report, 28th October to 2nd November 2012

across the pool, and then stalked out into the open at the edge of the reeds. And at last, with a panic attack from the Coot flock, a young male Otter appeared, swimming across the pool. For the next hour or so, he put on quite a show, actively hunting around the reed edges, and particularly around a nearby fish refuge, even waiting around long enough for the rest of the group to get back from Tower Hide in time to enjoy the show. As if that wasn't good enough, a second Bittern appeared, twice flying past in the same view as the Otter! Norfolk's wetland wildlife at it's very best.

Our afternoon walk was a little further down the valley, at Buckenham Marshes, where hundreds of Wigeon whistled, a small flock of feral Barnacle Geese barked in the distance, and a female Peregrine came through, putting hundreds of Lapwing and Golden Plover up. Walking along the river bank towards a derelict mill, we found two more Chinese Water Deer grazing on the marshes, and got our first hint of what was to come as a couple of thousand Jackdaws and Rooks gathered noisily on the fields at the far side of the river.

Back across the marshes, we walked up the hill to the top of the lane, where the main crow flock (a mix of Jackdaws and Rooks) was gathering. As dusk fell, maybe 10,000 or more birds gathered in the fields and then took off, swirling over the woods in great clouds: a very impressive end to a great day!

1<sup>st</sup> November 2012. North Norfolk Coast. With South, West and East all covered already, today it was our turn to head North, up to the coast.

Our first port of call was the small beach car park at Salthouse, at the base of the shingle bank sea defences, where a small group of Turnstones were, handily, turning stones, unconcerned by our bus parking next to them! Walking up on to the shingle bank, we found a small group of birders avidly watching 'something', which turned out to be a very smart adult Shore Lark, shuffling around in the company of a couple of Skylarks. Although sometimes hard to see amongst the Yellow Horned Poppy and dock plants, he gave everyone good views of his smart yellow face, black mask and tiny black 'horns'. Offshore, a single female Long-tailed Duck flew in, very close to the shore, before (bizarrely!) flying over our heads and onto the freshwater marsh behind us!

From here we drove on westwards, passing a rather scruffy looking Sacred Ibis in a field with a group of crows, an exotic escapee from a bird collection in the Netherlands. And then we were at the famous Wildlife Trust reserve of Cley Marshes, the very first Wildlife Trust reserve and still amongst the best. One a small grazing field, we found a mixed group of geese at close range, a mixture of smaller Dark-bellied Brent Geese from the Russian Arctic and the larger, local Greylags, plus a single European White-fronted Goose, showing its dark belly-barring and white forehead-flash. We walked on, to the little cluster of hides overlooking Pat's Pool, where a pair of juvenile White-rumped Sandpipers, rare vagrants from across the Atlantic, had taken up temporary residence amongst the larger numbers of Dunlin. They eventually gave brilliant views, flying to right in front of the hide, giving us all the chance to appreciate their smaller size, shorter beak and more attenuated, long-winged shape (compared to the Dunlins). Other waders included a large group of Ruff, Black-tailed Godwits, one or two Ringed Plovers and a pair of sleepy Avocets. Behind the hide, a single Chiffchaff was calling noisily.

After a heavy rain shower, an impressive rainbow and some very welcome hot drinks at the visitors' centre, we headed westwards again, this time to Lady Anne's Drive at Holkham. Here we walked through the pine woods, enjoying the Goldcrests and tit flocks, plus a single all-too-brief Firecrest, to the hide overlooking the grazing marshes inland. A flock of Pink-footed Geese were feeding out on the marshes, with a couple of sleeping Egyptian Geese, a passing Marsh Harrier and a handful of Curlew.

Another brief rain shower, and then we walked through the pines to the beach, which was pretty empty really: a handful of Oystercatchers and two female Common Scoter on the sea being all we could come up with. And so it was back to Lady Anne's Drive we headed, arriving just in time for a beautiful sunset, the departure of a few thousand Pink-footed Geese for their offshore roost and a trio of Barn Owls hunting over the field edges. As promised, our day in North Norfolk ended with the cackles of thousands of Pink-footed Geese in our ears... a suitable end to a very successful few days.

ENGLISH NAME	LATIN NAME	28 <sup>th</sup>	29 <sup>th</sup>	30 <sup>th</sup>	$31^{\rm st}$	1 <sub>st</sub>	_
Family Anatidae (Swar	s, geese and ducks)						
Mute Swan	Cygnus olor			Χ	Χ	Χ	
Black Swan	Cygnus ater	An e	escape	ed bird	l at St	rumps	h
Whooper Swan	Cygnus cygnus			Χ			
Greylag Goose	Anser anser		Χ	Χ	Χ	Χ	
White-fronted Goose	Anser albifrons					Χ	
Pink-footed Goose	Anser brachyrhynchus		Χ			Χ	
Canada Goose	Branta canadensis		Χ	Χ	Χ	Χ	
Brent Goose	Branta bernicla		Χ			Χ	
Barnacle Goose	Branta leucopsis				Χ		
Shelduck	Tadorna tadorna					Χ	
Egyptian Goose	Alopochen aegyptiaca		Χ		Χ	Χ	
Mallard	Anas platyrhynchos		Х	Х	Χ	Х	
Gadwall	Anas strepera			Х	Х	Х	
Pintail	Anas acuta			Х		Х	
Shoveler	Anas clypeata			Χ	Χ	Χ	
Wigeon	Anas penelope			Χ	Χ	Χ	
Teal	Anas crecca		Χ	Χ	Χ	Χ	
Pochard	Aythya ferina			Χ			
Tufted Duck	Aythya fuligula			Χ			
Common Scoter	Melanitta nigra		Х			Χ	
Long-tailed Duck	Clangula hyemalis	1 fe	male	on the	sea c	off Salt	r
	neasants and Partridges)						
Pheasant	Phasianus colchicus		Χ	Χ	Χ	Χ	
Red-legged Partridge	Alectoris rufa		Χ	Χ	Χ		
Family Gaviidae (Diver	s)						
Red-throated Diver	Gavia stellata		Χ				
Family Podicipedidae (	Grebes)						
Little Grebe	Tachybaptus ruficollis		Χ	Χ		Χ	
Great Crested Grebe	Podiceps cristatus		Χ			Χ	
Family Sulidae (Ganne	·						
Gannet	Morus bassanus		Χ				_
<b>Family Phalacrocoracio</b>	lae (Cormorants)						
Cormorant	Phalacrocorax carbo		Χ	Χ	Χ	Χ	
Family Threskiornithid	ae (Ibises)						
Sacred Ibis	Threskiornis aethiopicus	1 es	cape,	in fiel	ds ne	ar Salt	h
Family Ardeidae (Hero	ns)						
Bittern	Botaurus stellaris	3 (!!	) see	n at St	rump	shaw F	=
Little Egret	Egretta garzetta		Χ		Х	Χ	
Grey Heron	Ardea cinerea		Χ	Χ	Χ	Χ	
Family Accipitridae (Ha	awks and Eagles)						
Hen Harrier	Circus cyaneus	1 fe	male	at Stul	bb Mil		
Marsh Harrier	Circus aeruginosus		35	Χ	Х	Χ	_
Common Buzzard	Buteo buteo		X		X	X	_
Sparrowhawk	Accipiter nisus				X		_
Family Falconidae (Falconidae )							Į
Kestrel	Falco tinnunculus		Χ	Χ	Χ	Χ	
		——————————————————————————————————————			Bucke		_

ENGLISH NAME	LATIN NAME	28 <sup>th</sup>	29 <sup>th</sup>	30 <sup>th</sup>	31 <sup>st</sup>	1 <sub>st</sub>	
Family Rallidae (Rails an	d Crakes)						
Water Rail	Rallus aquaticus			Н			
Moorhen	Gallinula chloropus		Χ	Χ	Χ	Χ	
Coot	Fulica atra		Χ	Χ	Χ	Χ	
Family Gruidae (Cranes)							
Common Crane	Grus grus	A fan	nily o	f 4, St	tubb 1	۹ill	
Family Haematopidae (C	ystercatchers)						
Oystercatcher	Haematopus ostralegus					Χ	
Family Recurvirostridae							
Avocet	Recurvirostra avosetta					Χ	
Family Scolopacidae (Sa	ndpipers)						
Dunlin	Calidris alpina				Χ	Χ	
White-rumped Sandpiper	Calidris fuscicollis	2 juv	enile	s on P	at's P	ool at	C
Sanderling	Calidris alba					Χ	
Snipe	Gallinago gallinago			Χ	Χ	Χ	
Woodcock	Scolopax rusticola	1 flev	v in c	off the	sea a	at Hor	se
Turnstone	Arenaria interpres		Χ			Χ	
Ruff	Philomachus pugnax			Χ	Χ	Χ	
Curlew	Numenius arquata			Χ		Χ	
Black-tailed Godwit	Limosa limosa			Χ		Χ	
Family Charadriidae (Plo							
Ringed Plover	Charadrius hiaticula					Χ	
Grey Plover	Pluvialis squatarola			Χ			
Golden Plover	Pluvialis apricaria		Χ	Χ	Χ	Χ	
Lapwing	Vanellus vanellus		Χ	Χ	Χ	Χ	
Family Laridae (Gulls)	_						
Little Gull	Hydrocoeleus minutus		nes: 1	at W	elche	Ouse s Dam	ı a
	Hydrocoeleus minutus  Chroicocephalus ridibundus	Wash	nes: 1 elney X	at W			ı a
Little Gull		Wash	nes: 1 elney	l at W	elche	s Dam	ı a
Little Gull Black-headed Gull	Chroicocephalus ridibundus	Wash	nes: 1 elney X	at W	elche X	s Dam	ı a
Little Gull Black-headed Gull Common Gull	Chroicocephalus ridibundus Larus canus	Wash	nes: 1 elney X X	X X X X	elche X	s Dam X X	ıa
Little Gull Black-headed Gull Common Gull Herring Gull	Chroicocephalus ridibundus Larus canus Larus argentatus	Wash	nes: 1 elney X X	X X X	/elche X X	X X X X	ıa
Little Gull Black-headed Gull Common Gull Herring Gull Lesser Black-backed Gull	Chroicocephalus ridibundus Larus canus Larus argentatus Larus fuscus	Wash	nes: 1 elney X X X	X X X X	/elche X X	X X X X	ıa
Little Gull Black-headed Gull Common Gull Herring Gull Lesser Black-backed Gull Great Black-backed Gull	Chroicocephalus ridibundus Larus canus Larus argentatus Larus fuscus	Wash	nes: 1 elney X X X	X X X X	/elche X X	X X X X	ıa
Little Gull  Black-headed Gull  Common Gull  Herring Gull  Lesser Black-backed Gull  Great Black-backed Gull  Family Alcidae (Auks)	Chroicocephalus ridibundus Larus canus Larus argentatus Larus fuscus Larus marinus Uria aalge	Wash	nes: 1 elney X X X X	X X X X	/elche X X	X X X X	ı a
Little Gull  Black-headed Gull  Common Gull  Herring Gull  Lesser Black-backed Gull  Great Black-backed Gull  Family Alcidae (Auks)  Guillemot	Chroicocephalus ridibundus Larus canus Larus argentatus Larus fuscus Larus marinus Uria aalge	Wash	nes: 1 elney X X X X	X X X X	/elche X X	X X X X	ıa
Little Gull  Black-headed Gull  Common Gull  Herring Gull  Lesser Black-backed Gull  Great Black-backed Gull  Family Alcidae (Auks)  Guillemot  Family Columbidae (Pige	Chroicocephalus ridibundus  Larus canus  Larus argentatus  Larus fuscus  Larus marinus  Uria aalge  eons and Doves	Wash	nes: 1 elney X X X X X	X X X X X X	/elche	X X X X X X	ıa
Little Gull  Black-headed Gull  Common Gull  Herring Gull  Lesser Black-backed Gull  Great Black-backed Gull  Family Alcidae (Auks)  Guillemot  Family Columbidae (Piger	Chroicocephalus ridibundus  Larus canus  Larus argentatus  Larus fuscus  Larus marinus  Uria aalge  cons and Doves)  Columba livia	Wash	nes: 1 elney X X X X X	X X X X X X X X X	/elche	X X X X X X X	ıa
Little Gull  Black-headed Gull Common Gull Herring Gull Lesser Black-backed Gull Great Black-backed Gull Family Alcidae (Auks) Guillemot Family Columbidae (Pige Rock Dove/Feral Pigeon Woodpigeon	Chroicocephalus ridibundus  Larus canus  Larus argentatus  Larus fuscus  Larus marinus  Uria aalge  cons and Doves)  Columba livia  Columba palumbus  Streptopelia decaocto	Wash	nes: 1 elney X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X	X X X X X X X X X X X X X X X X X X X	ı a
Little Gull  Black-headed Gull  Common Gull  Herring Gull  Lesser Black-backed Gull  Great Black-backed Gull  Family Alcidae (Auks)  Guillemot  Family Columbidae (Pige Rock Dove/Feral Pigeon  Woodpigeon  Collared Dove  Family Tytonidae (Barn (Barn Owl	Chroicocephalus ridibundus  Larus canus  Larus argentatus  Larus fuscus  Larus marinus  Uria aalge  cons and Doves)  Columba livia  Columba palumbus  Streptopelia decaocto	Wash at Wo	nes: 1 elney X X X X X X X single	X X X X X X X X X X X X X X X X X X X	X X X X X X X Stubb	X X X X X X X X X X X X X X X X X X X	nc
Black-headed Gull Common Gull Herring Gull Lesser Black-backed Gull Great Black-backed Gull Family Alcidae (Auks) Guillemot Family Columbidae (Pige Rock Dove/Feral Pigeon Woodpigeon Collared Dove Family Tytonidae (Barn (Barn Owl	Chroicocephalus ridibundus Larus canus Larus argentatus Larus fuscus Larus marinus  Uria aalge cons and Doves) Columba livia Columba palumbus Streptopelia decaocto Owls) Tyto alba	Brief Buck	x X X X X X Singlenhar and the rate of the	X X X X X X X X es at 5	X X X X X X X Stubb	X X X X X X X X X A X A Mill a ee hur	nc
Black-headed Gull Common Gull Herring Gull Lesser Black-backed Gull Great Black-backed Gull Family Alcidae (Auks) Guillemot Family Columbidae (Pige Rock Dove/Feral Pigeon Woodpigeon Collared Dove Family Tytonidae (Barn G	Chroicocephalus ridibundus Larus canus Larus argentatus Larus fuscus Larus marinus  Uria aalge cons and Doves) Columba livia Columba palumbus Streptopelia decaocto Owls) Tyto alba  Asio flammeus	Brief Buck	x X X X X X Singlenhar and the rate of the	X X X X X X X X X X X X X X X X X X X	X X X X X X X Stubb	X X X X X X X X X A X A Mill a ee hur	nc
Black-headed Gull Common Gull Herring Gull Lesser Black-backed Gull Great Black-backed Gull Family Alcidae (Auks) Guillemot Family Columbidae (Pige Rock Dove/Feral Pigeon Woodpigeon Collared Dove Family Tytonidae (Barn (Barn Owl)  Family Strigidae (Owls) Short-eared Owl Family Alcedinidae (King	Chroicocephalus ridibundus Larus canus Larus argentatus Larus fuscus Larus marinus  Uria aalge cons and Doves) Columba livia Columba palumbus Streptopelia decaocto Owls) Tyto alba  Asio flammeus ofishers)	Brief Buck	x X X X X X Singlenhar and the rate of the	X X X X X X X X X X A X A X A X A X A X	X X X X X X X X Stubb th three cham	X X X X X X X X X A X A Mill a ee hur	nc
Black-headed Gull Common Gull Herring Gull Lesser Black-backed Gull Great Black-backed Gull Family Alcidae (Auks) Guillemot Family Columbidae (Pige Rock Dove/Feral Pigeon Woodpigeon Collared Dove Family Tytonidae (Barn G	Chroicocephalus ridibundus Larus canus Larus argentatus Larus fuscus Larus marinus  Uria aalge cons and Doves) Columba livia Columba palumbus Streptopelia decaocto Owls)  Tyto alba  Asio flammeus Ifishers) Alcedo atthis	Brief Buck	x X X X X X Singlenhar and the rate of the	X X X X X X X X es at 5	X X X X X X X Stubb	X X X X X X X X X A X A Mill a ee hur	nc

ENGLISH NAME	LATIN NAME	28 <sup>th</sup>	29 <sup>th</sup>	30 <sup>th</sup>	31 <sup>st</sup>	1 <sub>st</sub>	-
Family Alaudidae (La	rks)			.,	. ,		
Skylark	Alauda arvensis		Χ	Χ	Χ	Χ	
Shore Lark	Eremophila alpestris	1 on				thouse	<u>-</u> -
Family Motacillidae (							
Meadow Pipit	Anthus pratensis		Χ	Χ	Χ	Χ	
Pied Wagtail	Motacilla alba		Χ	Χ	Χ	Χ	
Family Troglodytidae	(Wrens)						
Wren	Troglodytes troglodytes		Χ		Χ	Χ	
Family Prunellidae (A	Accentors)						
Dunnock	Prunella modularis		Χ		Χ	Χ	
Family Turdidae (Thr	ushes and Chats)						
Robin	Erithacus rubecula		Χ	Χ	Χ	Χ	
Stonechat	Saxicola torquata		Χ				
Black Redstart	Phoenicurus ochrurus	1 fer				b at H	ors
Blackbird	Turdus merula		X	X	X	X	_
Song Thrush	Turdus philomelos		Х			Х	
Redwing	Turdus iliacus		X	X	X	X	
Fieldfare	Turdus pilaris		Χ	Χ	Χ	Χ	
Family Sylviidae (Wa							
Cetti's Warbler	Cettia cetti				Н	<u> </u>	_
Chiffchaff	Phylloscopus collybita	4 :	Ha a sa	: 1	Lallala	Н	
Firecrest	Regulus ignicapillus	1 in		ines, I	HOIKN		-
Goldcrest	Regulus regulus		Χ			X	
Family Aegithalidae ( Long-tailed Tit	Aegithalos caudatus		Χ	Χ	Х	Χ	
Family Panuridae (Be			Λ	Λ	Λ	Λ	
Bearded Tit	Panurus biarmicus					Н	
Family Paridae (Tits)							
Marsh Tit	Parus palustris				Χ		
Coal Tit	Parus ater					Х	
Blue Tit	Parus caeruleus		Х	Х	Х	Х	
Great Tit	Parus major		Х	Х	Х	Х	
Family Sittidae (Nuth							
Nuthatch	Sitta europaea				Χ		
<b>Family Corvidae (Cro</b>	ws)						
Magpie	Pica pica		Χ	Χ	Χ	Χ	
Jay	Garrulus glandarius			Х	Χ	Χ	
Jackdaw	Corvus monedula		X	Χ	Χ	Χ	
<u> </u>			\ /			V	
Rook	Corvus frugilegus		Х	X	Х	Х	
Rook Carrion Crow	Corvus corone		X	X	X	X	
Rook Carrion Crow Family Bombycillidae	Corvus corone (Waxwings)		X	Χ	Χ	Χ	
Rook Carrion Crow Family Bombycillidae Waxwing	Corvus corone (Waxwings) Bombycilla garrulous		X	X side Ro	Χ		
Rook Carrion Crow Family Bombycillidae Waxwing Family Sturnidae (St	Corvus corone (Waxwings) Bombycilla garrulous arlings)		X roads thes I	X side Ro Dam	X owans	X s, near	
Rook Carrion Crow Family Bombycillidae Waxwing Family Sturnidae (Starling	Corvus corone (Waxwings) Bombycilla garrulous arlings) Sturnus vulgaris		X roads	X side Ro	Χ	Χ	
Rook Carrion Crow Family Bombycillidae Waxwing Family Sturnidae (Starling Family Passeridae (S	Corvus corone (Waxwings) Bombycilla garrulous arlings) Sturnus vulgaris parrows)		X roads thes I	X Side Ro Dam	X owans X	X s, near	
Rook Carrion Crow Family Bombycillidae Waxwing Family Sturnidae (Starling Family Passeridae (Starling) House Sparrow	Corvus corone  (Waxwings)  Bombycilla garrulous  arlings)  Sturnus vulgaris  parrows)  Passer domesticus		X roads thes I	X side Ro Dam	X owans	X s, near	
Rook Carrion Crow Family Bombycillidae Waxwing Family Sturnidae (Starling Family Passeridae (S	Corvus corone  (Waxwings)  Bombycilla garrulous  arlings)  Sturnus vulgaris  parrows)  Passer domesticus		X roads thes I	X Side Ro Dam	X owans X	X s, near	

ENGLISH NAME	LATIN NAME	28 <sup>th</sup>	29 <sup>th</sup>	30 <sup>th</sup>	31 <sup>st</sup>	1st	2 <sup>nd</sup>
Goldfinch	Carduelis carduelis		Х	Х	Χ	Χ	
Siskin	Carduelis spinus			Χ	Χ		
Linnet	Carduelis cannabina				Χ	Х	
Bullfinch	Pyrrhula pyrrhula		Χ				
Family Emberizidae	(Buntings)						
Yellowhammer	Emberiza citronella		Χ				
Reed Bunting	Emberiza schoeniclus				Χ	X	

LARGER MAMMALS							
Family Muridae (Mice an	d Rats)						
Brown Rat	Rattus norvegicus				Χ		
Family Sciuride (Squirrel	s)						
Grey Squirrel	Sciurus carolinensis				Χ	Χ	
Family Leporidae (Rabbi	ts and Hares)						
Rabbit	Oryctolagus cuniculus		Χ	Χ	Χ	Χ	
Brown Hare	Lepus europaeus				Χ		
Family Phocidae (Seals)							
Grey Seal	Halichoerus grypus	includ	ding a	white	at Ho fluffy t Holk	pup a	and a
Common Seal	Phoca vitulina	6 witl	n the	Grey S	Seals	at Hor	sey
Family Mustelidae (Must	elids)						
Otter	Lutra lutra		otion I	Hide a	it Stru	of the mpsha	
Family Cervidae (Deer)							
Muntjac	Muntiacus muntjac	One i Holkh		wood	s, brie	efly, at	
Chinese Water Deer	Hydropotes inermis		1		3		

<b>INVERTEBRATES</b>		
Small Tortoiseshell	Aglais urticae	1 at Horsey, 3 at Welches Dam
Large White	Pieris brassicae	1 at Horsey
Fox Moth	Macrothylacia rubi	The large furry caterpillars at Horsey
Common Darter	Sympetrum striolatum	Several in warm, sheltered spots at Welches Dam and Strumpshaw
Migrant Hawker	Aeshna mixta	Strumpshaw Fen





White-fronted Goose (left), Whooper Swan (right) and Chinese Water Deer (below)

